

Unit4 FP&A

Cloud Service Description

VERSION 2026 Q2

June 2026



CONTENT

1.	Introduction	2
2.	Data centres & data residency	3
3.	Service model	5
4.	Environments	7
5.	Reporting and monitoring	10
6.	Releases	10
7.	Planned and unplanned maintenance	12
8.	Customer permissions and responsibilities	13
9.	Customisations and integrations	17
10.	Technical operations	18
11.	Data considerations	19
12.	Non-Production Environment with production specifications	23
13.	Data staging area	23
	SCHEDULE A Glossary and Technical Acronyms	24
	Notable Changes from V. 2026 Q1	25

1. Introduction

Unit4 Financial Planning and Analysis (Unit4 FP&A) delivers financial performance management technology with native integration to Unit4's People Experience. Built on a highly flexible platform, Unit4 FP&A models are adaptable to various FP&A, Corporate Performance Management (CPM) and analytics use cases. The solutions give business Users the platform and tools they need to configure their planning and reporting to meet individual requirements, without having to have a technical background.

Unit4 FP&A provides comprehensive capabilities for supporting top-down, bottom-up and mixed planning processes across an organisation. Unit4 FP&A also offers predefined best practice models (e.g., Integrated Financial Planning, People Planning and Analytics, Consolidation) as well as industry models that can be reused and adjusted to the Customer's requirements. The purpose of this document is to describe the cloud Service composition provided to the Customer.

Unit4 provides a complete technically managed solution for Unit4 FP&A deployed in the public cloud. This end-to-end Service includes infrastructure, hardware, system software, monitoring, management and maintenance of the entire solution (including backups), disaster recovery and Service updates.

Unit4 offers cloud enterprise solutions as Unit4 SaaS - a Software as a Service delivery model deployed on Microsoft Azure. This model leverages of Microsoft Azure's scale and experience of running highly secure and compliant cloud Services around the globe. Microsoft Azure's infrastructure is second to none in terms of physical and electronic security, and it adheres to industry standards such as ISO 27001, SOC 1 & 2, PCI DSS and many more.

Unit4 FP&A is available as a shared option, where computing resources are shared between Customers without any interference.

In summary, Unit4 provides the following:

- Access to Unit4 FP&A designer tool (Designer) Web Client (OneClient) and API/web services
- All User access to Unit4 FP&A is over secure internet connections (HTTPS). A variety of browsers are supported
- Comprehensive integration options available, including the use of Unit4 APIs/web services
- Infrastructure is fully scalable, in a high availability environment with redundancy in critical aspects such as power, hardware, network communications
- Relevant security level

- Continuous monitoring is in place, covering servers, Services and applications, feeding alerts and continuous improvement
- Application of infrastructure updates, patches and hot fixes
- Unit4 software and supporting software Releases and Hot Fixes
- Production Environment and Non-Production Environment with a separate database for Customers' data
- Forgiveness restores (where applicable), and disaster recovery in a physically separate secondary site
- Service Level Agreement, with Service Credits based on Service availability
- Unit4 Community (Community4U) to engage with Unit4 directly, giving insight in the Service performance indicators and see the status of Services
- Various Azure regions leveraged to enable Unit4 to meet Customers' data residency needs; Customers' data always resides within a specified a geopolitical zone (except where explicitly stated otherwise)
- Formal policies in place for: information security, data processing, disaster recovery, business continuity and acceptable use.

2. Data centres & data residency

Unit4 FP&A is built upon Microsoft Azure infrastructure and platform Services. The Unit4 FP&A Service is delivered from within different geopolitical zones, using a primary and a secondary location in every zone to meet Service level commitments and disaster recovery needs. The location within each geopolitical zone is at the discretion of Unit4 and can change from time to time. The table below contains details of the geopolitical zones, along with the data centre locations. For more information, see Azure region details: azure.microsoft.com/regions.

Geopolitical zone	Provider	Data location (Countries/City's/Regions)	Time zone
EU	Microsoft Azure	Dublin, Ireland and Amsterdam (DR), Netherlands	CET/CEST
USA	Microsoft Azure	Texas and Illinois (DR)	CST/CDT
Canada	Microsoft Azure	Quebec City and Toronto (DR)	EST/EDT
United Kingdom	Microsoft Azure	London and Cardiff (DR)	GMT/BST
Asia	Microsoft Azure	Singapore and Hong Kong (DR)	SGT
Australia	Microsoft Azure	Victoria and New South Wales (DR)	AEDT/AEST
Norway	Microsoft Azure	Oslo and Stavanger (DR)	CET/CEST
Sweden	Microsoft Azure ¹	Gävle and Staffanstorps (DR)	CET/CEST

Unless agreed otherwise in a Sales Order the chosen deployment of the Customer will be as follows:

Customer residence	Geopolitical zone used
APAC	Asia
Australia/New Zealand	Australia
Canada	Canada
EU	EU
Sweden	Sweden
Norway/ Denmark	Norway

¹ At Unit4's discretion, Platform Services will be delivered from Azure Norway or Azure Sweden Data centre

UK	UK
US	US

In the unlikely event the primary and secondary redundancy of the network in a geopolitical zone fails, connections are rerouted using tertiary redundancy in the following way.

Primary	Secondary	Tertiary
Geopolitical zone EU	Geopolitical zone EU	Geopolitical zone UK
Geopolitical zone UK	Geopolitical zone UK	Geopolitical zone EU
Geopolitical zone USA	Geopolitical zone USA	Geopolitical zone Canada
Geopolitical zone Canada	Geopolitical zone Canada	None
Geopolitical zone Asia	Geopolitical zone Asia	Geopolitical zone Australia
Geopolitical zone Australia	Geopolitical zone Australia	Geopolitical zone Asia
Geopolitical zone Norway	Geopolitical zone Norway	Geopolitical zone Sweden
Geopolitical zone Sweden	Geopolitical zone Sweden	Geopolitical zone Norway

3. Service model

Unit4 FP&A is available in a shared deployment model. In summary, the characteristics of mentioned model are as set out in the table below:

Category	Component	Shared
SOLUTION	Releases	Commence automatically
	All patching, updates of the standard solution (technical)	Included and automatic
INFRASTRUCTURE	Environments included	1 Production + 2 Non-Production (Preview and Acceptance) ²
	Availability guarantee	Yes
	Data centres	Microsoft Azure
SERVICES	Releases will commence	Automatically
	On-going technical operations, performance management, maintenance of all infrastructure components, monitoring alert response and issue resolution	Yes
	Backup & Service Restore	Yes
	Disaster recovery	Yes
	Monitoring program of infrastructure and application	Yes

² Three (3) environments set up is a new standard applicable to Customers that got their Agreements signed with effect from May 2020. Please be informed that by default Customer is provided with 1 Production and 1 Non-Production Environment. Second Non-Production Environment is included in the offering but has to be requested by the Customer separately via Service Request.

Category	Component	Shared
COMPLIANCE	Compliance certificates and assurance documents – Microsoft Azure	SOC1 Type II (ISAE 3402), SOC2 type II (ISAE 3000), ISO27001, ISO27017 ³

4. Environments

Three (3) environments are provided⁴, including:

- One Production Environment (PE) called alternatively “live” environment, being the environment that the Customer uses to run the day to day (live) operation.
- Two Non-Production Environments (NPEs)
 - a) Preview – a Customer's Preview environment always contains the latest Releases for the Unit4 Product in use by the Customer; and
 - b) Acceptance – which can be used according to Customer needs as “Test” / “Quality” / “Development” / “Pre-Production”.

Additional environments can be provided at an extra charge.

Unit4 assigns to every Customer a unique Customer ID code, which is visible in various elements of the Service (including environments), and it is used for Customer identification. The MS Azure Customers ID code is a 3-character acronym. The Customer ID codes are created at Unit4 discretion during the early stage of the implementation and are not a subject to change.

Details about Platform Services instances can be found in Unit4 Platform Services Description at <https://www.unit4.com/service-descriptions>.

³ It is Customers responsibility to ensure their own compliance with all applicable standards and compliance obligations. For more details around Information Security please see the Unit4 Information Security Policy, which is available at <https://www.unit4.com/terms-and-conditions>.

⁴ Three (3) environments set up is a new standard applicable to Customers that got their Agreements signed with effect from May 2020. Please be informed that by default Customer is provided with 1 Production and 1 Non-Production Environment. Second Non-Production Environment is included in the offering but has to be requested by the Customer separately via Service Request.

4.1. Production Environments

Only the Production Environment (PE) is subject to the Service Level Agreement.

4.2. Non-Production Environments Characteristics

Although a Non-Production Environment (NPE) is not subject to the SLA, NPEs have some characteristics as described below.

Customer responsibilities

Customer needs to manage non-production WIP such as non-production report templates (e.g., in progress changes to financial planning report template) as refresh will replace WIP with copies from production.

What happens to the previous NPE details after a refresh?

Everything in NPE will be erased and replaced with a fresh copy from PE.

Update of an NPE to a new Release

The Preview (NPE) environment is updated as soon as a Release is available following an announcement of Unit4.

Once an NPE has been updated to the latest Release, it is not possible to move back to the previous Release.

Backups

Backups of NPE are made daily in the time zone of the geopolitical zone in use. Backups of NPE are kept for seven (7) calendar days.

Restores

A restore request can be made by issuing a Service Request on Unit4 Community4U. Throughput time, amount of included restores and the charge is same to a refresh of a NPE.⁵

⁵ Please note there is no Customer specific restore option for Unit4 Platform Services. More details about Platform Services can be found in Unit4 Platform Services Description at <https://www.unit4.com/service-descriptions>.

Suspension⁶

NPE which is not actively used will be suspended. Suspended NPE may be reactivated at any point in time. In order to reactivate suspended NPE Customer needs to initiate re-activation, which may take up to 15 minutes.

4.3. Database refresh

Definition of Database Refresh Between Environments

A refresh between environments (e.g., from NPE to PE) is a full copy of Customer database between the environments.

There is no database refresh option for Unit4 Platform Services.

Point in time used

The database refresh is from a point in time prior to the current Business Day. The specific point in time is selected by Unit4.

Frequency of database refresh

One refresh per environment per month is included. Additional refreshes would be subject to extra charges.

Different environment Release versions

Database refresh is possible when:

- Both environments are on the same Release version.
- Target environment is on a higher Release version.

How to request a refresh?

Customers need to submit a Service Request in order to request the refresh.

Throughput time

Database Refresh Between Environments will be available for use at the start of the second Business Day following the Service Request acceptance (depends on the contracted support level).

⁶ For Suspended NPE re-activation OneClient must be used.

5. Reporting and monitoring

5.1. Reporting on Service Performance

Unit4 provides operational information regarding Unit4 FP&A on Unit4 Community4U. That information includes:

- Service availability
- Scheduled maintenance (times, dates per region)
- Release information
- Incidents overview
- Site recovery status (in the event of the disaster plan initiation).

5.2. Monitoring program

A continuous 24x7 monitoring and resolution program is in place to detect and resolve incidents to meet the Unit4 Service Availability targets on Production Environment.

6. Releases

Periodically, Unit4 introduces new features in the Unit4 FP&A including enhanced features and functionality across applications. Features and functionality will be made available as part of a Release. As part of regular maintenance Unit4 will apply Hot Fixes, as deemed necessary by Unit4 in order to maintain the existing features of the Unit4 SaaS and to maintain Service level commitments and security.⁷

Releases will be provided free of charge as part of the Service. However, it should be noted:

- Any Releases may result in additional configuration and/or functional adjustments that are required to be made by either: (i) the Customer; (ii) Unit4; or (iii) approved Service partner consultants; are not included in the Unit4 FP&A Service and will be a subject to additional charge.
- The standard deployment sequence follows the order: Preview (NPE) → Acceptance → Production, with a minimum delay of 4 to 6 weeks between the Preview (NPE) and

⁷ Release deployment details for Platform Services can be found in Unit4 Platform Services Description at <https://www.unit4.com/service-descriptions>.

Production Environment rollout. Once the Preview environment is updated, rollback is not possible.

- Where any Release replaces or updates any Configuration or non-standard functionality utilised by Customer, the Customer will be required to adopt the standard functionality. Unit4 reserves the right to charge a reasonable fee to provide assistance if Customer wishes to maintain the previous Configuration or non-standard functionality.

6.1. Release deployment

Releases may take place approximately each quarter. The frequency of Releases may be increased or decreased at Unit4's discretion. Releases may take up to twelve (12) hours to deploy, resulting in the Service being unavailable for some or all that time (such unavailability shall not be counted as Service downtime for the calculation of Service Availability). A schedule of planned deployment of Releases to the Production Environment will be published on the Unit4 Community4U. A Customer's Preview environment always contains the latest Release of Unit4 FP&A in use by the Customer. Unit4 will use reasonable endeavours to ensure that Releases will be carried out during the Planned Maintenance window.

6.2. Deferral

Unit4 does not provide a standard deferral service for FP&A solutions. This is due to security, compliance, and operational risk considerations associated with operating the service on a fixed or non-current software version.

Exception Handling

In exceptional circumstances, Unit4 may consider a deferral request for FP&A on a case-by-case basis. Such exceptions are subject to the following conditions:

- The Customer must sign a Security Exception Letter, formally acknowledging and accepting the risks associated with remaining on a specific software version.
- The deferral service is subject to additional charges, as agreed between Unit4 and the Customer.

Unit4 reserves the right to assess and approve or reject deferral requests based on security, technical feasibility, and compliance considerations.

This exception mechanism is intended to address specific Customer needs while maintaining transparency around the associated risks and responsibilities.

6.3. Hot Fix Deployment

Hot Fixes are applied as deemed necessary by Unit4 in order to maintain the existing features of the Unit4 FP&A as well as maintaining Service level commitments and security.

7. Planned and unplanned maintenance

7.1. Planned Maintenance

Planned Maintenance windows are dedicated to apply to all the respective changes to the Service provided e.g. updates, hot-fixes and Releases. During Planned Maintenance Production Service may be periodically unavailable. You can find more details on schedule presented in the table below:

	Standard Planned Maintenance windows (PMW) <i>Releases, Hot-Fixes and Infrastructure updates</i>	Additional Planned Maintenance windows (PMW) <i>Releases</i>
All regions (except Azure US, Azure Canada)	12 per year, 3 rd or 4 th week of each month From: Sat 4PM To: Sun 4AM UTC	
Regions Azure US and Azure Canada	12 per year, 3 rd or 4 th week of each month Shortened PMW: From: Sun 4AM To: Sun 11AM UTC Or Full PMW*: From: Sat 11PM To: Sun 11AM UTC <i>*In rare cases, when a downtime of all regions would be required</i>	2 per year according to time interval specific for given region <i>(unless communicated otherwise)</i>

Time of Planned Maintenance window is a subject of a change (+/- 1hr), which is related to winter and summer time adjustments.

Planned Maintenance windows are subject to change upon reasonable notice. The exact dates of Planned Maintenance windows are communicated in Unit4 Community4U.

If actual downtime for scheduled or planned maintenance exceeds the time allotted for Planned Maintenance, it is considered part of the calculation for Service Outage. If actual downtime for scheduled or planned maintenance is less than time allotted for Planned Maintenance, that time is not applied as a credit to offset any Service Outage time for the month.

Planned Maintenance can also be carried out by Unit4 provided that the Customer has received at least 8 hours' notice. This will occur in unforeseen or exceptional circumstances only (similar to emergency / Unplanned Preventative Maintenance) to deal with a vital or critical issue and Unit4 will use its reasonable endeavours to do this outside Business Hours to cause minimal disruption to the Customer. In this case, because Unit4 provides Customer 8 hours' notice, this maintenance does not count as Service Outage. This is so that Unit4 is not encouraged to wait until the next Planned Maintenance window to deal with an urgent issue and avoid a Service Credit.

7.2. Unplanned Preventative Maintenance

Unit4 may carry out Unplanned Preventative Maintenance if there is an urgent requirement to secure the stability, or the security of the Unit4 SaaS. This action may be taken at the discretion of Unit4 for unforeseen and exceptional circumstances, which require immediate resolution that cannot wait until the next Planned Maintenance window. Unplanned Preventative Maintenance is counted as a Service Outage.

8. Customer permissions and responsibilities

8.1. Customer permissions

Customer has the right to:

- 1) Monitor PE availability and Service Response Time on an active basis using a third-party monitoring Service. Monitoring acts as a consumer of Unit4 FP&A and is subject to any and all present and future Usage Restrictions of Unit4 FP&A. Customer and Unit4 must agree, prior to monitoring, on monitoring details in order to ensure that the monitoring does

not interfere with the Unit4 FP&A offering and that Unit4 security tooling does not block the monitoring Service.

- 2) Conduct an external security vulnerability scan on an annual basis. Details of the planned scan must be provided to Unit4 at least 30 days in advance of each scan using a Service Request.
 - 3) Conduct a security penetration test on an annual basis. Details of the planned test must be provided to Unit4 at least 30 days in advance of each test, using a Service Request.
- Any activities to prepare, coordinate or manage the above by Unit4 is subject to additional charges.

8.2. Customer Responsibilities

Release and Service updates

The following list summarizes typical Release tasks and indicates Services included as part of Unit4 FP&A and tasks that are the responsibility of the Customer (or by Unit4 Success Services at an extra charge):

Task	Included	Customer Responsibility
Project Planning		
Publishing general availability schedule of Releases on the Unit4 Community4U	✓	
Managing timelines, outline goals, roles and responsibilities		✓
Business analysis and discovery		✓
Creating test plans		✓
Release deployment in Preview environment		
Update Preview environment with Release	✓	
User training on changes		✓
Test: conducting basic Release testing		✓
Training support to assist with testing		✓

Functional and User acceptance testing as desired		✓
Training, implementation and Configuration for new features		✓
Reviewing test scripts and testing outcome for issues resolution		✓
Go/No-go criteria and agreement on Production Release deployment timing		✓
Release deployment in Production		
Update existing application Configuration, being all activities undertaken to set up application provided by the Service which involve the use of standard menus and functionality. There may be rare cases where it is not technically possible to determine the correct business Configuration; in these rare cases any tasks that must be completed manually are the responsibility of the Customer.	✓	✓
Update Production environment with Release	✓	✓

Technical & functional responsibilities

Technical Environment responsibilities:

- Supply, administration and maintenance of customer-side client devices and local printers
- Customer-side networking infrastructure, including connectivity to the internet
- Security of Customer-side network, devices and internet connectivity
- Ensuring sufficient bandwidth, including internet bandwidth
- All Customer initiated activities around penetration testing, security checks, Customer owned monitoring are in the sole responsibility of the Customer.

Functional Environment responsibilities:

- Customer is fully responsible for the Configuration and administration of the functional aspects of the Service, including User and role administration.

8.3. Customer Obligations

Account Set-up

Customer is responsible for designating its Users, and for ensuring that all Users are adequately trained and understand Customer's remote access and use obligations and requirement to comply with Unit4's fair usage terms (<https://www.unit4.com/terms-and-conditions>). Where applicable each individual User must establish an Account. Customer is responsible for managing its Accounts and disabling a User's Account when Unit4 FP&A access is no longer required, including immediately upon termination of such User's affiliation with Customer. Customer is responsible for its Users' acts and omissions and for all activities occurring under its Users' Accounts.

Account Administrator

Customer will designate one or more Account Administrator(s). The Account Administrator(s) responsibilities include, but are not limited to, coordinating with Unit4 regarding the Service and managing Customer's Accounts. Customer warrants that its Account Administrator(s) will maintain authority to act on Customer's behalf concerning the Unit4 FP&A, and that Unit4 can rely on the Account Administrator(s) actions and instructions in connection therewith.

Account Security

Each User is responsible for keeping their Account credentials confidential. Users may not share Account credentials, and the Customer may not reuse or recycle credentials when activating or disabling Accounts. The Customer will immediately notify Unit4 when it becomes aware of any known or suspected unauthorized access, misuse, or security breach affecting Unit4 SaaS or any User Account and will provide all relevant information and take all reasonable steps requested by Unit4 to investigate and remediate the issue.

All Accounts used to access Unit4 Services must be secured in accordance with industry-standard security practices. Minimum password requirements are defined in the Unit4 Cloud Technical Guidelines and Limits document, available at www.unit4.com/service-descriptions under Technical Documents.

The Customer is responsible for enforcing appropriate password management practices, including timely access removal and credential changes where required.

8.4 General functional and technical requirements and specifications

Customer must comply with the functional and technical requirements and specifications, shared by Unit4 and available on <https://www.unit4.com/service-descriptions> and Community4U, which may be updated in accordance with the Unit4 General Terms of Business.

9. Customisations and integrations

9.1. Customisations

Unit4 FP&A does not support any Customisations, only configuration is applicable.

9.2. Integrations

Integrations, defined as any solution capability that shares data with an external, are permitted according to the guidelines described below. Interface methods not explicitly stated below are not permitted. In general, no direct database access is permitted at all.

Integration Type	Permitted?
Integration with Unit4 ERPx, where meta data for P&L planning and reporting are extracted by Unit4 FP&A, including deep link.	Yes
Integration with Unit4 ERP CR, where meta data for P&L planning and reporting are extracted by Unit4 FP&A, including deep link.	Yes
Integration with Unit4 ERP 7, where meta data for P&L planning and reporting are extracted by Unit4 FP&A, including deep link. Remark: For integration of Unit4 FP&A with Unit4 ERP version lower than 7.5, database replica for Unit4 ERP is mandatory (which may result in additional cost for Customer).	Yes

10. Technical operations

10.1. Printing

All printing is carried out on the Customer side.

10.2. Connectivity

Unit4 FP&A is accessed via the OneClient and Designer over the public internet using an HTTPS connection (RSA 2048 bits - SHA256 with RSA and/or EC 256 bits SHA256 with ECDSA).

The Unit4 FP&A Designer and the Microsoft Office Add-Ins needs to be installed locally on Customer's site.⁸

Internet bandwidth suggestions⁹

- Unit4 FP&A OneClient – 512 Kbps per User
- Unit4 FP&A Designer – 512 Kbps per User¹⁰
- Latency Recommended: at most 50 ms

10.3. Technical overview

Topic	Description
FTP	
Protocol	SFTP (SSH FTP) protocol is used

⁸ There is an additional option for the Customer to purchase the Designer via a Citrix solution (as an application via a remote access solution e.g., Citrix Workspace APP):

- Access is carried out using a 2048 bit encrypted thin client connection over TLS with SHA-2 RSA Encryption Algorithm over the public internet
- Memory per Designer is limited to 1024MB.

⁹ Rough guidance only based on simulation testing. Response times will be dependent upon a variety of factors such as number of Users, type of web processing initiated, Customer-side internet line capacity and infrastructure set-up such as use of proxies.

¹⁰ Suggested Internet bandwidth for the Designer via the Unit4 Citrix solution - 100 Kbps per User with a max latency of 100ms.

Credentials	Two sets of credentials are provided per environment (e.g., 2 username/passwords for production, 2 username/password for each NPE)
Email	
Domain	Unit4 FP&A needs an SMTP Server to send emails. By default, Unit4 mail system can be used, but the sender email address is limited to donotreply@unit4cloud.com. Optionally the Customers SMTP Server can be used.
Protocol	SMTP over TLS
Authentication	
Protocols supported	IDS is a federated authentication gateway, authentication is performed at the Customer's own IdP. Unit4 IDS supports WS-Federation, SAML-P and OpenID Connect support (see Unit4 IDS Service Description for further details). ¹¹
Internet communication	
Protocols supported	HTTPS secured with TLS with RSA SHA256withRSA encryption and/or EC SHA256 with ECDSA

11. Data considerations

11.1. Transfers of Customer Data to Unit4 FP&A

Unit4 deploys standard architecture and therefore, where Customer is an existing Unit4 Customer, it is responsible for ensuring data consistency (i.e., that Customer Data to be inserted follows such standard architecture) and that any inconsistencies in Customer Data are appropriately cleansed before such data is inputted into the Unit4 SaaS.

¹¹ Authentication of the Unit4 FP&A Designer via Citrix solution involves two steps; first step is to authenticate using Unit4 SaaS specific credentials against a Unit4 SaaS operated AD and second step using either Basic or Federated Authentication.

When Customer requests to copy a database snapshot from outside of Unit4 SaaS environment then it should be free of any Customisation objects. These objects should be sent in a separate Service Request and will follow standard Customisation review process.

Customer files transferred to Unit4 SaaS must be provided in an unencrypted format, as encryption in transit and at rest is handled by Unit4 SaaS.

11.2. Backup and Service Restore

Customers are given the option of a “forgiveness” restore, where a recent Production Service backup can be restored to the PE in case of a disastrous User mistake (e.g., running month end processing in “live” environment instead of in “preview” as intended).¹²

Backups are performed to allow for forgiveness restores to be completed with a restoration point as shown below and no later than thirty (30) days prior to current time, to a resolution as shown below. Forgiveness restores should be initiated as a P1 incident and time to complete depends on data volume.

Request restore point permitted

between 1 hour prior to the time the request is made and no later than 30 days prior to the time of request to a resolution of 5 minutes

Customer may request a Service Restore report no more frequently than once per month via the Unit4 Community4U using a Service Request. Example:

Current time	Restore Range	
15-03-2017 00:15	13-02-2017 00:15	14-03-2017 23:15
25-07-2017 14:25	25-06-2017 14:25	25-07-2017 13:25
22-09-2017 08:00	23-08-2017 08:00	22-09-2017 07:00

11.3. Data Security

Data in transit

Customer data in transit over public networks is protected with TLS 1.2.

¹² There is no “forgiveness” restore option for Unit4 Platform Services. More details about Platform Services can be found in Unit4 Platform Services Service Description at <https://www.unit4.com/service-descriptions>.

Customer Data at rest

Data at rest is protected using transparent, whole database encryption. Please see the Unit4 Information Security Policy, which is available at <https://www.unit4.com/terms-and-conditions>.

IP Allowlisting

IP Allowlisting is offered as an option that will come at an additional cost in the Unit4 SaaS, as a means to gain an extended level of control on who has access to their environment. An IP Allowlist is a list of IP addresses that are granted access to a certain Service. When an IP Allowlist is used, all IP addresses are denied access, except those included in the IP Allowlisting.¹³

IP Allowlisting is available for the following product – data centre – cloud type combinations.

IP Allowlisting	Data centre	Available?
Web endpoints	Azure	Yes
Citrix	Azure	Yes

The Platform Services like Unit4 Identity Services, Unit4 AVA and Unit4 Extension Kit use dynamic IP addresses; therefore IP Allowlisting is not supported for any combination of Global products with any Platform Services (with the exception of Unit4 Identity Services which can have IP Allow listing).

11.4. Limits and regulators on usages

Unit4 runs in a Multi-Tenant environment and, as such, Unit4 observes fair use limits so that runaway processes do not monopolize shared resources. When a limit is exceeded, corrective measures will be taken. For actual fair usage limits please see Fair Usage Policy at <https://www.unit4.com/terms-and-conditions>. Memory space limit

Apart from the fair usage limits, Unit4 applies memory space limits for Production Environments per Unit4 FP&A SaaS Service size according to the table below.

¹³ The Platform Services like Unit4 Identity Services, Unit4 Wanda and Unit4 Extension Kit use dynamic IP addresses, therefore IP whitelisting is not supported for any combination of Unit4 Financials SaaS with any Platform Services. More details about Platform Services can be found in Unit4 Platform Services Service Description at <https://www.unit4.com/service-descriptions>.

Unit4 FP&A SaaS Service size	XS	S	M	L	XL	XXL
Maximum memory space limit for PE per Unit4 FP&A SaaS Service size	12 GB	28 GB	58 GB	120 GB	248 GB	504 GB

11.5. Access to my data

The Customer's Data is owned and controlled by the Customer and in accordance with Applicable Law, Customer shall be the data controller. Unit4 is the data processor.

To ensure the Customer has access to their Customer Data, the following options are available:

- Unit4 FP&A OneClient, accessed via a supported web browser
- Unit4 FP&A Designer¹⁴

11.6. Downloadable Production Database Backup

Unit4 can export your Production Environment database to a Unit4 controlled Azure storage location on a weekly basis as an additional Service with extra recurring costs. The Customer can manually download this export from this location. Each export will be retained for four (4) weeks.¹⁵

Customer responsibilities for this additional Service offering include:

- Customer access responsibility – control who has permission to download the export
- Ensuring data privacy during and after download
- Establishing, monitoring and managing the download process
- Restoring or importing the export once downloaded
- Licensing, operating and installing in the Customer's IT infrastructure any applications that will be used in the retrieval process and subsequent use of the export.

¹⁴ The Designer can be setup locally (setup files can be downloaded by the Customer from Community4U) or delivered via the Unit4 Citrix solution at an additional charge.

¹⁵ Please note that this additional Service is not available for Unit4 Platform Services.

12. Non-Production Environment with production specifications

As an additional Service against additional costs it is possible to opt for a Non-Production Environments (NPE), that holds the characteristics of an NPE as described in [paragraph 4.2](#) with Production alike specifications as paragraph described.

13. Data staging area

Staging database is a separate Service provided based on the Microsoft Azure SQL database engine. That database can be used for storing any kind of staging data, no backup Services are included. The database will be open to access for uploading to and downloading from Unit4 FP&A.

13.1. Security

Connection is secured via TLS and firewall rules that limit connectivity by IP address. Firewall rules are maintained by Unit4, and each change must be requested via Service Request in support portal.

13.2. Size (performance)

It is offered as a separate single database with 50 database transaction units ([DTUs](#)) and 250GB storage included. This single database can be accessed from each environment (see paragraph 4).

13.3. User Management

Unit4 offers the database and the necessary access and credentials to work with this database. One administration account will be created, and credentials will be shared with a Customer. The Customer can create more Users, if required. SQL database User management is a Customer responsibility.

SCHEDULE A

Glossary and Technical Acronyms

Unless defined in the tables below, capitalised words and phrases have the meaning given to them in Unit4's General Terms of Business or relevant Service Terms (found on <https://www.unit4.com/terms-and-conditions>).

Glossary

Term	Definition
Account Administrator	an appropriate and qualified Business User who will have administrative level control for creation, maintenance and deletion of Accounts providing access to the Unit4 Product.
Customer ID code	A unique Customer identifier.
Customisation Object	the product of any Customisation being any code change (for example AG16 or ACT) or other database object not created using the changing of standard Unit4 Product menus and functionality.
Multi-Tenant	a single instance of Unit4 SaaS including its supporting infrastructure which serves multiple Customers.
Record	a data record stored within a Customer's database (for example a line in a timesheet).
Service Restore	the time it takes Unit4 to perform the restoration of a recent Production Environment back-up (at the request of the Customer).
Transaction	the creation or modification of a Record.

Technical Acronyms

Acronym	Full Name
ACT	Advanced Customisation Tools (Unit4 ERP only)
AES	Advanced Encryption Standard
API	Application Program Interface (e.g., web services)
DTU	Database Transaction Units
ERP	Enterprise Resource Planning

Acronym	Full Name
FTP	File Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
IdP	Identity Provider
Kbps	Kilobits Per Second
NPE	Non-Production Environment
PCI DSS	Payment Card Industry – Data Security Standard
PE	Production Environment
SFTP	Secure File Transfer Protocol
SHA-2 RSA	Secure Hash Algorithm (number 2) and RSA encryption Algorithm
SLA	Service Level Agreement
SOC	Service Organization Controls
SQL	Structured Query Language
TLS	Transport Layer Security Encryption
URL	Uniform Resource Locator (a web address)
WIP	Work In Progress

Notable Changes from V. 2026 Q1

These are the updates from the previous version incorporated into the current 2026 Q2 release.

- Chapter 4.2 Non-Production Environments Characteristics has been updated.